

**PORTUGUESE TEST FACILITIES IN COMPLIANCE WITH GLP**

Test facility	Type of facility	Area of Expertise	Compliance status	First Certificate	Comments
Laboratório de Estudos Farmacêuticos (LEF) Rua das Ferrarias del Rei Lote EIT4 2730-269 Barcarena Tel.: 21 427 86 10 Fax: 21 42786 39	CRO	Physical-chemical Testing	Pending (*)	1995-06-27	Renewal in 2008-07-16
Labor Qualitas – Tecnimede Caixaria 2565-187 Dois Portos Tel.: 261 710 000 Fax: 261 712 494	CRO	Physical-chemical Testing	IC	1998-06-02	Renewal in 2009-07-02
Unidade de Serviços Analíticos (ASU) IBET/ITQB Apartado 12 2781-901 Oeiras Tel.: 21 441 08 29 Fax: 21 442 11 61	CRO	Physical-chemical Testing Miscellaneous (Bioassays)	Pending (**)	1998-06-02	Renewal in 2008-10-28
Centro de Estudos de Farmacologia – AIBILI Ex-Centro de Estudos de Biodisponibilidade Azinhaga de Santa Comba, Celas 3000 Coimbra Tel.: 239 48 01 00/1 Fax: 239 48 01 17	CRO	Physical-chemical Testing	Pending (***)	1999-01-26	Renewal in 2008-03-15
Laboratório de Investigação Farmacológica BIAL – Portela & C. <sup>a</sup> , S. A. À Av. da Siderurgia Nacional 4745-457 S. Mamede do Coronado Tel.: 22 986 61 00 Fax: 22 986 61 92	CRO	Physical-chemical Testing	IC	2002-01-01	Renewal in 2010-02-04

CRO – contract research organisation

IC – in compliance

(\*) Pending – Inspection delayed to December upon request from the test facility

(\*\*) Pending – Inspection in March, 8-10. Process awaiting the signature of the certificate

(\*\*\*) Pending – Inspection in October, 13-14. Process ongoing